




Lampa posiada wbudowaną funkcję ściemniacza.

Smooth dimming  
Equipped with built-in dimming function.



## Optyka / Optics



\*Eliptyczna optyka uzyskiwana jest przez użycia akcesoriów

\*Elliptical optics are obtained by installing the specific accessory

## 2.4G Dimming

Kontrolowanie do 300 lamp / Managing up to 300 lighting

Pełne wyeksponowanie jakości i charakterystyki przedmiotu poprzez dobór temperatury barwowej oświetlenia jest kluczowe. W celu zapewnienia. Temperatura barwowa może być ustawiona od 2700K do 6000K. Jest to idealne rozwiązanie do przestrzeni handlowych, gdzie produkty i ekspozycja ulega ciągłym zmianom.

To fully appreciate the quality and characteristics of items and materials, choosing the correct colour temperature for lighting is essential. Colour temperature can be turned from 2700K to 6000K. This solution is perfect for lighting retail spaces where products and displays are constantly changed.


Ściemnianie / Dimmable



Zmiana temperatury barwowej / CCT Changeable




# Suts



∅ 91




Source	W	lm	Optic	Code
<b>∅91</b>				
2700K - 6000K - CRI 80				
COB	30W	1980	15° / 24° / 36°	8695 305
2700K - 6000K - CRI 80				
COB	30W	2250	15° / 24° / 36°	8695 305



## Krzywe rozłożenia światła / Light distribution curves

### 30W - 36° - bright



### 30W - 36° - dark

