


Optyka / Optics




*Eliptyczna optyka uzyskiwana jest przez użycia akcesoriów


*Elliptical optics are obtained by installing the specific accessory



Source	W	lm	Optic	Code
ø70				
3000K-CRI 80				
COB	7W	580	70°	8897 325
4000K-CRI 80				
COB	7W	590	70°	8897 325
6000K-CRI 80				
COB	7W	620	70°	8897 325




Source	W	lm	Optic	Code
ø100				
3000K-CRI 80				
COB	10W	910	100°	8897 335
4000K-CRI 80				
COB	10W	960	100°	8897 335
6000K-CRI 80				
COB	10W	1000	100°	8897 335



Source	W	lm	Optic	Code
ø140				
3000K-CRI 80				
COB	20W	1760	100°	8897 305
4000K-CRI 80				
COB	20W	1850	100°	8897 305
6000K-CRI 80				
COB	20W	1940	100°	8897 305




Source	W	lm	Optic	Code
ø200				
3000K-CRI 80				
COB	30W	2630	100°	8897 308
COB	40W	3310	100°	8897 318
4000K-CRI 80				
COB	30W	2760	100°	8897 308
COB	40W	3480	100°	8897 318
6000K-CRI 80				
COB	30W	2900	100°	8897 308
COB	40W	3950	100°	8897 318




Krzywe rozłożenia światła / Light distribution curves


7W - 70°




10W - 100°



20W - 100°



30W - 100°



40W - 100°

